

**NOTICE OF QUARANTINE EXEMPTION FOR THE USE OF FOLICUR 3.6 F ON  
SOYBEANS TO CONTROL SOYBEAN RUST**

**January 21, 2005**

The Environmental Protection Agency has granted a Quarantine Exemption under the provisions of Section 18 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended, to the Arkansas State Plant Board for the use of *Folicur 3.6 F* (EPA Reg. # 264-752) on soybean fields in Arkansas to control soybean rust. All applicable direction, restrictions, and precautions on the submitted Section 18 use directions (as modified below) as well as the EPA-registered product labels must be followed.

The Arkansas State Plant Board is responsible for ensuring that all provisions of this quarantine exemption are met. It is also responsible for providing a report about the results and effectiveness of this exemption on an annual basis in accordance with 40 CFR 166.32. This information must be submitted to EPA headquarters.

**Applicators must be in possession of this Notice of Exemption at the time of application.**

**A maximum of two total applications using approved Section 18 products collectively will be made under this soybean rust Section 18 Exemption per year.**

**\*Make sure and follow the Section 18 product label directions for the specific product used.**

***Folicur 3.6F***

DO NOT apply more than 8 ounces per acre per season

DO NOT feed soybean forage and hay to livestock

A maximum of two applications may be made by ground or air at a rate of 3-4 fluid ounces of product per acre (0.0813 to 0.1125 pounds of a.i./acre).

A Restricted Entry Interval (REI) of 12 hours and a pre-harvest interval (PHI) of 21 days will be observed

A report of each application made under this Exemption must be filed with the Plant Board within 10 days. The following format is suggested for use by the applicator so the information required by the EPA will be provided: **THIS INFORMATION IS NOT TO BE REPORTED ON PINK FORM NUMBER 1007.**

**REPORT OF APPROVED SECTION 18 PRODUCTS ON SOYBEAN RUST**

Applicator's Name:

Applicator's Address:

Farmer's Name:

Farmer's Address:

Acres Treated:

Pounds of Active Ingredient Applied per Acre:

Location of Field:

Time and Date of Application:

Reports may be mailed to: Arkansas State Plant Board, PO Box 1069, Little Rock, AR 72203 or faxed to: (501)-312-7053.

**THIS NOTICE EXPIRES MARCH 1, 2007**



Bayer CropScience LP  
 P.O. Box 12014, 2 T.W. Alexander Drive  
 Research Triangle Park, North Carolina 27709  
 1-866-99BAYER (1-866-992-2937)  
<http://www.bayercropscienceus.com>

**Folicur® 3.6 F Foliar Fungicide**

**For Use on Soybean to control Rust  
 (*Phakopsora pachyrhizi*)**

**SECTION 18 SPECIFIC EXEMPTION  
 File Symbol: 04-AR-12**

**FOR DISTRIBUTION AND USE ONLY IN THE STATE OF ARKANSAS  
 UNDER SECTION 18 SPECIFIC EXEMPTION**

This labeling must be in possession of the user at the time of pesticide application. It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire Directions for Use and Disclaimer of Warranties before using this product. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the registered product label for Folicur® 3.6 F Foliar Fungicide (EPA Registration Number 264-752).

Any adverse effects resulting from the use of Folicur® 3.6 F Foliar Fungicide under this specific exemption must be immediately reported to the State of Arkansas Department of Agriculture.

**EFFECTIVE PERIOD:**

This labeling becomes effective 08/27/04 and expires on 03/01/07.

**DIRECTIONS FOR USE**

A maximum of 3.3 million acres of soybeans may be treated under this exemption.

**RECOMMENDED APPLICATIONS**

CROP	DISEASES	RATE OF FOLICUR® 3.6 F
Soybean	Rust ( <i>Phakopsora pachyrhizi</i> )	3 to 4 fl oz per acre

**Use Directions:** Apply Folicur® 3.6 F as a broadcast foliar spray at first appearance of rust pustules on any leaves within the plant canopy. Repeat applications on a 10 to 14-day spray interval if environmental conditions are favorable for continued disease development. Applications may be made up to the R6 (full seed) soybean growth stage. Use of the higher rates and shorter spray intervals are recommended when disease pressure is severe. For optimum benefit, the lowest label recommended rate of a spray surfactant must be tank-mixed with Folicur® 3.6 F. Folicur® 3.6 F should be applied in a minimum of 10 gallons of spray solution per acre by ground sprayer or in a minimum of 5 gallons per acre by aircraft spray equipment.

**Restrictions:** Applications may not be made within 21 days of harvest. Do not apply more than 2 applications per season. Do not apply more than 8 fl. oz/A per use season. Do not enter treated fields for 12 hours after application.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to freshwater, estuarine and marine fish and invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate. Do not feed soybean forage or hay to livestock.

For **MEDICAL** And **TRANSPORTATION** Emergencies **ONLY** Call 24 Hours A Day 1-800-334-7577

For **PRODUCT USE** Information Call 1-866-99BAYER (1-866-992-2937)

or

Visit our worldwide web site at [www.bayercropscienceus.com](http://www.bayercropscienceus.com)

As with any crop-protection product, always read and follow label directions.

For additional information call toll-free 1-866-99BAYER (1-866-992-2937).

## **Report of Section 18 Application**

**Pesticide:**

**Applicator's Name:**

**Applicator's Address:**

**Farmer's Name:**

**Farmer's Address:**

**Acres Treated:**

**Pounds of Active Ingredient per Acre:**

**Location of Treated Area:**

**Date of Application:**

**Time of Application:**

Mail reports to the Arkansas State Plant Board, PO Box 1069, Little Rock, AR 72203  
or Fax to (501) 312-7053. Reports must be submitted within **10 days** of application.